

# Product line-up and available coating

2021.6.1

※STD=Standard ※X=Available

Product line-up & available coating for LUTINA		PGC	PGC-P	PGC Ag P-UV	SPS	SPS-P	MSC & MSC-P	MSC Ag P-UV	USC & USC-BC & USC-ES & USC-ESBC	USC-ES BD	ESC-P	ESC+BCC-P	TBC & TBC-P	BCC-P	BCCAg P-UV <small>Start from July 2021</small>	NRC	NCC	RMC	Mirror	HADABUIN-P	ESC+HADABUIN-P	
LUTINA	LTN 1.76 NEUROGRAN, NEUROGRAN FIT, NEUROGRAN PRESSO				STD																	
	LTN 1.67 NEUROGRAN, NEUROGRAN FIT, NEUROGRAN PRESSO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 NEUROGRAN, NEUROGRAN FIT, NEUROGRAN PRESSO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 GR-RESONAS				STD																	
	LTN 1.67 GR-RESONAS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 GR-RESONAS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 RESONAS-X, FIT-X, PRESSO-X				STD																	
	LTN 1.67 RESONAS-X, FIT-X, PRESSO-X	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 RESONAS-X, FIT-X, PRESSO-X	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 RESONAS WS, FIT WS, PRESSO WS				STD																	
	LTN 1.67 RESONAS WS, FIT WS, PRESSO WS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 RESONAS WS, FIT WS, PRESSO WS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 RESONAS, FIT, PRESSO				STD																	
	LTN 1.67 RESONAS, FIT, PRESSO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 RESONAS, FIT, PRESSO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 NWS				STD																	
	LTN 1.67 NWS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 NWS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 EASYONE				STD																	
	LTN 1.67 EASYONE	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 EASYONE	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.50 EASYONE	STD	X	X																		
	LTN 1.76 SERENO IS				STD																	
	LTN 1.67 SERENO IS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 SERENO IS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.50 SERENO IS	STD	X	X																		
	LTN 1.67 ENERGY	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 ENERGY	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 INDOOR NEO WS, INDOOR NEO				STD																	
	LTN 1.67 INDOOR NEO WS, INDOOR NEO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 INDOOR NEO WS, INDOOR NEO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 BS-INDOOR				STD																	
	LTN 1.67 BS-INDOOR	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 BS-INDOOR	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 LARGO WS, BS-LARGO				STD																	
	LTN 1.67 LARGO WS, BS-LARGO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 LARGO WS, BS-LARGO	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 REST-W PLUS, REST-W				STD																	
	LTN 1.67 REST-W PLUS, REST-W	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 REST-W PLUS, REST-W	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 REST-R PLUS, REST-R				STD																	
	LTN 1.67 REST-R PLUS, REST-R	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 REST-R PLUS, REST-R	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 CVf				STD																	
	LTN 1.67 CVf	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 CVf	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 Bi-AS(S), (C)				STD																	
	LTN 1.67 Bi-AS(S), (C)	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 Bi-AS(S), (C)	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
	LTN 1.76 AS-AE				STD																	
	LTN 1.67 AS-AE	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 AS-AE	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.76 AS				STD																	
	LTN 1.67 AS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60 AS	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.60	STD	X	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
	LTN 1.50	STD	X	X																		

Product line-up & available coating for LUTINA Photochromic		PGC	PGC-P	MSC-P	TBC & TBC-P
LUTINA PHOTOCROMIC	LTN-P 1.76 NEUROGRAN	STD	X	X	
	LTN-P 1.67 NEUROGRAN	STD	X	X	
	LTN-P 1.60 NEUROGRAN	STD	X	X	
	LTN-P 1.76 GR-RESONAS	STD	X	X	
	LTN-P 1.67 GR-RESONAS	STD	X	X	
	LTN-P 1.60 GR-RESONAS	STD	X	X	
	LTN-P 1.76 RESONAS-X, FIT-X, PRESSO-X	STD	X	X	
	LTN-P 1.67 RESONAS-X, FIT-X, PRESSO-X	STD	X	X	
	LTN-P 1.60 RESONAS-X, FIT-X, PRESSO-X	STD	X	X	
	LTN-P 1.76 RESONAS WS, FIT WS	STD	X	X	
	LTN-P 1.67 RESONAS WS, FIT WS	STD	X	X	
	LTN-P 1.60 RESONAS WS, FIT WS	STD	X	X	
	LTN-P 1.76 RESONAS, FIT, PRESSO	STD	X	X	
	LTN-P 1.67 RESONAS, FIT, PRESSO	STD	X	X	
	LTN-P 1.60 RESONAS, FIT, PRESSO	STD	X	X	
	LTN-P 1.76 NWS	STD	X	X	
	LTN-P 1.67 NWS	STD	X	X	
	LTN-P 1.60 NWS	STD	X	X	
	LTN-P 1.76 EASYONE	STD	X	X	
	LTN-P 1.67 EASYONE	STD	X	X	
	LTN-P 1.60 EASYONE	STD	X	X	
	LTN-P 1.76 SERENO IS	STD	X	X	
	LTN-P 1.67 SERENO IS	STD	X	X	
	LTN-P 1.60 SERENO IS	STD	X	X	
	LTN-P 1.67 ENERGY	STD	X	X	
	LTN-P 1.60 ENERGY	STD	X	X	

Product line-up & available coating for LUTINA Photochromic		PGC	PGC-P	MSC-P	TBC & TBC-P
LUTINA PHOTOCROMIC	LTN-P 1.76 INDOOR NEO WS	STD	X	X	
	LTN-P 1.67 INDOOR NEO WS	STD	X	X	
	LTN-P 1.60 INDOOR NEO WS	STD	X	X	
	LTN-P 1.76 REST-W PLUS, REST-W	STD	X	X	
	LTN-P 1.67 REST-W PLUS, REST-W	STD	X	X	
	LTN-P 1.60 REST-W PLUS, REST-W	STD	X	X	
	LTN-P 1.76 REST-R PLUS, REST-R	STD	X	X	
	LTN-P 1.67 REST-R PLUS, REST-R	STD	X	X	
	LTN-P 1.60 REST-R PLUS, REST-R	STD	X	X	
	LTN-P 1.76 Bi-AS(S), (C)	STD	X	X	
	LTN-P 1.67 Bi-AS(S), (C)	STD	X	X	
	LTN-P 1.60 Bi-AS(S), (C)	STD	X	X	
	LTN-P 1.76 AS	STD	X	X	
	LTN-P 1.67 AS	STD	X	X	
	LTN-P 1.60 AS	STD	X	X	



# Product line-up and available coating

2021.6.1

※STD=Standard ※X=Available

Product line-up and available coating for Single vision & Others		PGC	PGC-P	PGCAq P-UV	BPS	BPS-P	MSC	MSC-P	MSC Ag P-UV	USC & USC-BC & USC-ES & USC-ESBC	USC-ES BD	ESC-P	ESC+HCCP	TBC	BCCAq P-UV <small>(Start from 1st July, 2021)</small>	BCCP	BCCAq P-UV	NRC	NCC	DFC	RMC	Mirror	HADABUINP	ESC+HADABUINP	
EYE ASSIST	1.76 REST-W PLUS, REST-W	STD	X	X																					
	1.70 REST-W PLUS, REST-W	STD	X	X																					
	1.60 REST-W PLUS, REST-W	STD	X	X																					
	1.76 REST-R PLUS, REST-R	STD	X	X																					
	1.70 REST-R PLUS, REST-R, REST-S	STD	X	X																					
	1.60 REST-R PLUS, REST-R, REST-S	STD	X	X																					
	1.50 REST S	STD																							
SINGLE VISION	1.76 CVI, 1.76 Bi-AS (S), (C) & 1.76 GO	STD	X	X																					
	1.70 CVI, 1.70 Bi-AS (S), (C)	STD	X	X																					
	1.60 GO																								
	1.80 CVI, 1.60 Bi-AS (S), (C)	STD	X	X																					
	1.80 GO																								
	1.76AS-AE	STD	X	X																					
	1.70AS-AE	STD	X	X																					
	1.60AS-AE	STD	X	X																					
	1.76AS	STD	X	X																					
	1.70AS	STD	X	X																					
	1.60AS	STD	X	X																					
1.60	STD	X	X																						
1.50	STD																								
FUNCTIONAL LENS	1.76 MODECINQ PAL, MODECINQ	STD	X	X																					
	1.70 MODECINQ PAL, MODECINQ	STD	X	X																					
	1.60 MODECINQ PAL, MODECINQ	STD	X	X																					
	TR 1.76 GR-RESONAS GY, BR	STD																							
	TR 1.76 RESONAS WS, FIT WS GY, BR	STD																							
	TR 1.76 RESONAS, FIT GY, BR	STD																							
	TR 1.70 RESONAS, FIT GY, BR	STD																							
	TR 1.60 RESONAS, FIT GY, BR	STD																							
	TR 1.60 BS-PM 9MM GY, BR	STD																							
	TR 1.60 BS-C, -PM, 11,13, 15 GY, BR	STD																							
	TR 1.50 RESONAS GY, BR	STD																							
	TR 1.76 EASYONE GY, BR	STD																							
	TR 1.70 EASYONE GY, BR	STD																							
	TR 1.60 EASYONE GY, BR	STD																							
	TR 1.50 EASYONE GY, BR	STD																							
	TR 1.76 GO	STD																							
	TR 1.70AS GY, BR	STD																							
	TR 1.60 GY, BR	STD																							
	TR-XA 1.60 RESONAS, FIT	STD																							
	TR-XA 1.60 EASYONE	STD																							
	TR-XA 1.60 BS-PM 9MM	STD																							
	TR-XA 1.60	STD																							
	1.60 POLAR EASYONE / 1.60 POLAR	STD	X																						
	1.50 POLAR EASYONE / 1.50 POLAR	STD	X																						
	1.60 NIGHT DRIVE PAL	STD																							
	1.60 NIGHT DRIVE, 1.60AS NIGHT DRIVE	STD																							
	1.60 SPORT6, SPORT8	STD	X	X																					
	SPT8: CCP & CCP400: only for SPORT8																								
	1.60 BFC25, 28	STD	X	X																					
	1.60 GF16	STD	X	X																					
1.60 GOLF 50	STD																								

Product line-up and available coating for Glass		MC	PGC
PAL & BIF	G1.90 PM, G1.80 PM	STD	X
	G1.60 BFC25	STD	
	G1.50 BFC25, G1.50 BFC28	STD	
	G1.50 BFC25BX	STD	
SV	G1.90 AS, G1.80 AS, G1.90, G1.80, G1.70, G1.60	STD	X
	G1.50 PGX, PBX	STD	X